lt's Your Choice!





PEACE OFFICERS ASSOCIATION OF LOS ANGELES COUNTY

Strategic Traffic Enforcement Project















Peace Officers

Association

of Los Angeles County

car seats, Call:

(310) 673-2666

SafetyBeltSafe U.S.A.

reminds you to buckle up

your children on every ride.

For more information on car

(800) 745-SAFE (English)

(800) 747-SANO (Spanish)

Participating Midas Muffler Shops sell a

outgrown it, parents may return the seat

Funded by the California Office of Traffic Safety

to 40 lbs.) for \$42. When the child has

and receive a coupon for free service.

convertible car safety seat (fits from birth

seats, safety belts or low-cost












Car Seat Checklist for Parents

Common and dangerous errors:



- 2. Infant facing the front of the car (babies should face the rear until 20 lbs. and 12 months old).
- 3. Baby too big for small, infant-only seat (over 18-20 lbs. or head above the top edge of the seat).
- 4. Child too small for the seat (shield in front of infant's neck or face; child under 30-40 lbs. in booster).
- 5. Harness straps loose on the child or not threaded correctly (read instructions).
- 6. Harness straps on the arms or under the arms (straps go over shoulders, usually need clip on chest).
- 7. Overhead shield (if there is one) not connected to the harness.
- B. Buckle not firmly locked (listen for the "click").
- 9. Car seat on recall list (call one of the numbers listed on the back to find out how to order free parts).
- Booster used with only a lap belt (either a shield or a shoulder/lap belt must be used).
- 11. Vehicle safety belt not attached to the car seat (the seat could crush the child in a crash).
- Safety belt loose (check tightness by pulling the top. of the car seat toward front of car, then sideways).
- 13. Safety belt placed in the wrong slot (read and follow instructions exactly).
- 14. Too many people in the car (there must be one safety belt per person).
- 15. Other (a rear-facing infant must ride in the back seat if there is a passenger-side air bag in the front; automatic/passive safety belts cannot be used for car seate; if the buckle for the vehicle belt is too far forward, it may not hold the car seat in place. Read vehicle owner's manual for possible solutions.)













































Get It Right Every Time!



also weighs

40 pounds!

faces back of car

for the first year.